## References


1. Singh B N, Kim K H (2000), Floating drug Delivery systems: an approach to oral controlled drug delivery via gastric retention, J Control Release, 63: 235-259.

2. Ritcshel WA (1991), Targetting in the gastrointestinal tract: new approaches, Metods Find, Exp Clin Pharmacol, 13: 313-316.

3. Uzdemir N, Ordu S, Ozkan Y (2000), Studies of floating dosage forms of furosemide: in vitro and in vivo evaluation of bilayer tablet formulations, Drug Dev Ind Pharm, 26: 857–866.

4. Nagahara N, Akiyama Y, Nakao M, Tada M, Kitano M, Ogawa Y (1998), Mucoadhesive microspheres containing amoxicillin for clearance of Helicobacter pylori, Antimicrob. Agents Chemother, 42 (10): 2492 – 2494.

5. Liu Z, Lu W, Qian L, Zhang X, Zeng P, Pan J (2005), In vitro and in vivo studies on mucoadhesive microspheres of amoxicillin, Journal of Controlled Release 102: 135 – 144.

6. Shoaib MH, Siddiqi SS, Yousuf RI, Kamran Z, Hanif M, Saeed R, Sabahat J (2010), Development and Evaluation of Hydrophilic Colloid Matrix of Famotidine Tablets, AAPS PharmSciTech, 11(2): 708-718.

7. Katayama H, Nishimura T, Ochi S, Tsuruta Y, Yamazaki Y, Shibata K, Yoshitomi H (1999), Sustained release liquid preparation using sodium alginate for eradication of Helicobacter pyroli, Biol Pharm Bull, 22(1): 55 – 60.

8. Gangadharappa HV, Pramod KTM, Shiva KHG (2007), Gastric floating drug delivery systems: a review, Indian J Pharm Ed Res, 41:295–305.

9. Zou H, Jiang XT, Kong LS, Gao S (2008), Design and evaluation of a dry coated drug delivery system with floating pulsatile release, J Pharm Sci, 97:263–273.

10. Meka I, Kesavan B, Kalamata VN, Eaga CM, Bandari S, Vobalaboina V, Yamsani MR (2009), Design and evaluation of polymeric coated minitablets as multiple unit gastroretentive floating drug delivery systems for furosemide, J Pharm Sci, 98:2122–2132.

11. Awad GAS, Charrueau CAA, Allain P, Chaumeil JC (2002). Formulation and evaluation of bioadhesive pellets containing different carbomers made by extrusion spheronization, STP Pharm Sci, 12:157–162.

12. Klausner EA, Lavy E, Friedman M, Hoffman A (2003), Expandable gastroretentive dosage forms, J Control Rel, 90: 143–162.

13. Streubel A, Siepmann J, Bodmeier R (2003), Floating matrix tablets based on low density foam powder: effects of formulation and processing parameters on drug release, Eur J Pharm Sci, 18: 37–45.

14. Chen J, Park K (2000), Synthesis of fast-swelling, superporous sucrose hydrogels. Carbohydr Polym, 41: 259–268.

15. Nathalie R, Eric A, Marianne GF, Luc B, Cole E, Pierre B, Eric D (1997), Comparative pharmacokinetic study of a floating multiple unit capsules a high-density multiple-unit capsule and an immediate-release tablet containing 25 mg atenolol, Pharmaceutical Acta Helvetiae, 73: 81-87.

16. Dave BS, Amin AF, Patel MM (2004), Gastroretentive Drug Delivery System of Ranitidine Hydrochloride: Formulation and In Vitro Evaluation, AAPS PharmSciTech, 5(2): article 34.

17. Patel VF, Patel NM, Yeole PG (2005), Studies on formulation and evaluation of ranitidine floating tablets, Indian J Pharm Sci, 67(6): 703-709.

18. Patel VF, Patel NM (2006), Intragastric floating drug delivery system of cefuroxime axetil: *in vitro* evaluation. AAPS PharmSciTech, 7(1): E1-E7.

19. Ziyaur R, Mushir A, Khar RK (2006), Design and evaluation of bilayer floating

tablets of captopril, Acta Pharm, 56: 49-57.

20. Jaimini M, Tanwar YS, Rana AC (2007), Formulation and evaluation of famotidine floating tablets. Current Drug Delivery, 4: 51-55.

21. Elkheshen SA, Yassin AEB, Alsuwayeh S, Alkhaled FA (2004). In vitro and in vivo evaluation of floating controlled release dosage forms of verapamil hydrochlo-ride, Pharmazeutische Ind, 66:1364–1372.

22. Lele BS, Hoffman AS (2000). Mucoadhesive drug carriers based on complexes of poly(acrylic acid) and PEGylated drugs having hydrolysable PEG-anhydride-drug linkages, J Control Rel, 69: 237–248.

23. Mahesh D, Chavanpatil P, Jain S, Chaudhari R (2006), Novel sustained release, swellable and bioadhesive gastroretentive drug delivery system for ofloxacin, Int J Pharm, 316: 86–92.

24. Punda S, Joshi A, Vasub K, Nivsarkarc M, Shishooa C (2011), Gastroretentive delivery of rifampicin: In vitro mucoadhesion and in vivo gamma scintigraphy, Int J Pharmaceutics, 411: 106–112.

25. Remunan C, Bretal M, Nunez A (1992), Accelerated stability of sustained release tablet prepared with Gelucire, Int J Pharm, 80: 151-159.

26. Ramakrishnan K, Salinas RC (2007), Peptic ulcer disease, American Family Physician, 76(7):1005–1012.

27. Chitnis VS, Malshe VS, Lalla J K (1991), Boiadhesive Polymer synthesis, evaluation and application in controlled release tablets, Drug Dev Ind Pharm, 17(6): 879-892.

28. Chueh HR, Zia H, Rhodes CT (1995), Optimization of sotalol and bioadhesive extended release tablet formulations, Drug Dev Ind Pharm, 21(15): 1725-1747.

29. Suleymanlar I, Tuncer M, Tugrul MS (1999), Response to triple treatment with omeprazole, amoxicillin and clarithromycin for Helicobacter pylori infections in

continuous ambulatory peritoneal dialysis patients, Adv Perit Dial, 15: 79-81.

30. Vakil N, Cutler A (1999), Ten day triple therapy with ranitidine, bismuthcitrate, amoxicillin and clarithromycin in eradicating Helicobacter pylori. Am J Gastroenterol, 94: 1197-1199.

31. Buzas GM, Szekely E (1999), Eradication of Helicobacter pylori in peptic ulcer patients Orv Hetil, 140: 121-24.